Dane aktualne na dzień: 02-11-2026 07:46

Link do produktu: https://monitory-reklamowe.com/monitor-reklamowy-samsung-om55n-p-123.html



Monitor reklamowy Samsung OM55N

Cena brutto	**21 272,41 zł**
Cena netto	**17 294,64 zł**
Dostępność	**Dostępny**
Numer katalogowy	**121**
Producent	**Samsung**

Opis produktu

Monitor reklamowy Samsung OM55N

Features

Promote content in any storefront window

Samsung’s OMN series was designed with a storefront window display in mind. It projects clear, bright images that attract and engage audiences, increasing the probability of an in-store visit.

Foster brilliant presentation for all

Featuring 4,000nit brightness and a high contrast ratio of 5,000:1, the OMN Series’ display remains bright and clear, delivering an uncompromised picture that will capture the attention of potential customers – even in direct sunlight.

* “Conventional” refers to Samsung’s OMD-W series.

Modernize space with slim design

The OMN Series delivers an immersive content with a remarkably slim 54.5mm depth. Its compact size makes the display a natural extension of the store, as opposed to an addition that ties up valuable space.

* “Conventional” refers to Samsung’s OMD-W series.

Streamline content management

SThe OMN Series’ embedded MagicINFO Player S6, backed by the powerful TIZEN operating system, boosts the display’s overall performance, allowing for easy content management and ensuring seamless content transition and playback.

Deliver vibrant content with efficiency

The OMN Series addresses energy efficiency by consuming less power than conventional displays* while delivering a brilliant picture and spectacular performance. As a result, retailers are equipped with a superior, more engaging display that offers greater control over costs.

* Conventional displays refer to Samsung’s OMD-W series.

Durable Performance

With IP5X-validated dust protection and a proprietary 3-step process to prevent damage from overheating, OMN series displays stand the test of time.

Clutter-Free Configuration

Cable guide and embedded Wi-Fi provide clean, organized look and allow for content and firmware updates without the need for additional messy cables.

* Product specification may vary by size and region.

Award-winning digital signage solution

The Samsung OMN and OMN-D Series has been recognized by leading digital signage industry awards. The displays received the AV Display Innovation of the Year from the AV News Awards and Best All-Weather Display from the TNT Awards for smart design, flawless clarity and brightness.

AV Display Innovation of the Year“Samsung OMN and OMN-D series, its brand new semi-outdoor displays available in 46 and 55-inch, are designed with a storefront window display in mind and capture viewers’ minds with comprehensive innovation. Brilliant, vibrant images with superior picture quality, high brightness….”

Displays: All Weather Displays“Samsung’s OMN Series not only delivers an image with flawless clarity but is also designed to maintain superior picture quality even when exposed to direct sunlight. With slim and sleek design, the OMN series is compatible with any window layout and can complement the style of any brand.”

Panel:
Diagonal Size: 55"
Type: E-LED BLU
Resolution: 1920*1080 (Full HD)
Pixel Pitch(mm): 0.530 x 0.530
Active Display Area(mm): 1209.6(H) x 680.4(V)
Brightness(Typ.): 4000 nit
Contrast Ratio: 5000:1
Viewing Angle(H/V): 178/178
Response Time(G-to-G): 6ms
Display Colors: 8 bit - 16.7M
Color Gamut: 72%
Operation Hour: 24/7
Haze: 0%
Dynamic C/R: 100,000:1
H-Scanning Frequency: 30 ~ 135kHz (DP), 15 ~ 135kHz (HDMI)
V-Scanning Frequency: 30 ~ 75Hz (DP), 24 ~ 75Hz (HDMI)
Maximum Pixel Frequency: 533.25MHz (DP), 594MHz (HDMI)
Speaker Type: N/A
Input:
RGB: Display Port 1.2 (1)
Video: HDMI2.0 (2)
HDCP: HDCP 2.2
USB: USB 2.0 (1)
Output:
RGB: HDMI 2.0
Video: Yes

Audio: Stereo Mini Jack
External Control: RS232C (In/Out), RJ45 (In/Out)
External Sensor: Detachable Type (IR, Ambient)
Type: Internal
Power Supply: AC 100 - 240 V~ (+/- 10 %), 50/60 Hz
Power Consumption:
Max[W/h]: 450
Typical[W/h]: W/W(EU) : 276 US/KOR/Etc : 420 ※ Etc: CHINA, TAIWAN, BRA, CIS
BTU(Max): 1536
Sleep mode: less than 0.5W
Off mode: less than 0.5W
Dimension (mm):
Set: 1254.2 x 725 x 54.5 mm
Package: 1420 x 879 x 178
Weight (kg):
Set: 22.1kg
Package: 28kg
VESA Mount (mm): 400 x 400 mm
Protection Glass: N/A
Stand Type: N/A
Media Player Option Type: N/A
Bezel Width (mm): 19.9 (even)
Operating Temperature: 0℃~ 30℃ (Direct Sunlight) 0℃~ 40℃ (w/o Direct Sunlight)
Humidity: 10 % ~ 80 %
Key Features: High brightness Semi-Outdoor Slim & Clean back designBuilt-in MagicInfo Player S6, SSSP 6.0
Special Features: IP 5X rated, Polarized Sun Glasses Viewable in any direction, Portrait /Landscape Installation Support, Auto Brightness Control with Ambient Brightness Sensor, Temperature Sensor, RJ45 MDC, Auto Source Switching & Recovery, Clock Battery(80hrs Clock Keeping), Kensington Lock, WiFi Module Embedded
Internal Player:
Processor: Cortex A72 1.7GHz Quad-Core CPU
On-Chip Cache Memory: L1 Instruction Cache : 48KB L1 Data Cache : 32KB L2 Cache : 2MB
Clock Speed: 1.7GHz
Main Memory Interface: 2.5GB LPDDR4 1.5GHz 64bit
Graphics: Graphic resolution : 1920x1080 Output resolution : up to 3840x2160 (Scale up from graphic processing result.) - Supports OpenGL ES
Storage (FDM): 8GB (3.88GB Occupied by O/S, 4.12GB Available)
Multimedia: Video Decoder - MPEG-1/2/4, H.263, H.264/AVC, UHD H.264/AVC - VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9 Audio Decoder - AC3 (DD), MPEG
IO Ports: USB 2.0
Operating System: Tizen 4.0 (VDLinux)
Safety: CB (Europe) : IEC60950-1/EN60950-1 UL(USA) : cUL60950-1
EMC: FCC (USA) Part 15, Subpart B Class A CE (Europe) : EN55022:2006+A1:2007 EN55024:1998+A1:2001+A2:2003
Included: Quick Setup Guide, Regulatory Guide, Warranty Card, Power Cord, Remote Controller, Batteries, IR, Ambient sensor
Optional:
Stand: N/A
Mount: WMN-46VD
Specialty: N/A
Media Player:
Media Player: SBB(Slide In), Signage player box